


UNITARY Ducted Heating and Cooling Solutions

RESIDENTIAL AND COMMERCIAL

F-SERIES Air Conditioners



- 15.2 SEER2
- 2,3,4,5 Tons
- Compressor Variable-Speed Twin Rotary
- Hi & Lo Pressure Switches
- 2023 DOE All Zones Compliant
- 5-Year Warranty (With Registration)
- 14.3 SEER2 / 11.2 11.7 EER2
- 1.5 5 Tons
- Compressor: 1-Stage Scroll
- Hi Pressure Switch
- 2023 DOE SE & SW Compliant
- 5-Year Warranty (With Registration)



- 13.4 SEER2
- 1.5 5 Tons
- Compressor 1-Stage Scroll
- Hi Pressure Switch
- 2023 DOE N Compliant
- 5-Year Warranty (With Registration)
- 2023 DOE All Zones Compliant • 5-Year Warranty (With Registration)

• Compressor 2-Stage Scroll

• Hi & Lo Pressure Switches

• 14.3 SEER2

• 1.5 - 5 Tons

Demand Defrost

FUJITSU GENERAL AMERICA, INC

Quality Meets Comfort

Fujitsu General has a long history of providing innovative products to improve home comfort. We've taken feedback from homeowners and industry professionals...added our high level of expertise, reliability, and support that we are known for worldwide...the result is a new unitary line of equipment that provides the ultimate in comfort, flexibility and efficiency. All Fujitsu unitary products meet or exceed current energy efficiency regulations, as published by the Department of Energy.


F-SERIES Gas Furnaces (80% AFUE)



F-SERIES Gas Furnaces (92-98% AFUE)







Residential and Beyond

Our packaged heating and cooling products are available in a variety of efficiencies to ensure you save energy while meeting your budget needs. Performance is ensured by reliable and quiet scroll compressors which feature less moving parts, microchannel aluminum coil technology which allows for better heat transfer with less refrigerant charge, and robust fan motors that discharge air up and away from your home.

Gas/Electric

RGEAZR / RGE(A/X)ZS SERIES

40.60.80.100 MBH Gas Heat

10-Year Warranty (Single Phase)

5-Year Warranty (Three Phase)

Single and Three Phase

Propane Convertible

LoNOx & ULN

Louvered Coil Protection

Convertible Airflow

14.3 &15.2 SEER2

• 2 - 5 Tons

Residential Packaged Unit



RACBZR SERIES

Dedicated Horizontal Airflow

- 14.3 SEER2 2 – 5 Tons
- Single and Three Phase
- Louvered Coil Protection
- Flectric Heat Options 10-Year Warranty (Single Phase)
- 5-Year Warranty (Three Phase)

RACAZR / RAC(A/X)ZS SERIES Convertible Airflow

- 14.3 & 15.2 SEER2
- 2 5 Tons
- Single and Three Phase
- Louvered Coil Protection
- Electric Heat Ontions
- 10-Year Warranty (Single Phase)
- 5-Year Warranty (Three Phase)

Heat Pump

2 – 5 Tons

RHPBZR & RHPBZS SERIES

- Dedicated Horizontal Airflow Convertible Airflow 15.2 SEER2
- 14.3 & 15.2 SEER2 2 – 5 Tons
- Single and Three Phase
- 40,60,80,100 MBH Gas Heat Louvered Coil Protection
 - Single and Three Phase Louvered Coil Protection
 - Propane Convertible

RDF(A/X)ZS SERIES

LoNOx & ULN

Dual Fuel

- 10-Year Warranty (Single Phase) RHP(A/X)ZR / RHP(A/X)ZS SERIES 5-Year Warranty (Three Phase)
- Convertible Airflow • 14.3 SEER2

Electric Heat Options

- 2 5 Tons
- · Louvered Coil Protection

10-Year Warranty (Single Phase)

5-Year Warranty (Three Phase)

- Electric Heat Options 10-Year Warranty (Single Phase)
- 5-Year Warranty (Three Phase)

Commercial Product Lineup

Package 3-6 Ton

| CAPACITY | MODEL FAMILY | FOOTPRINT |
|--|--------------------|-----------|
| 3 - 5 TON 14.0 SEER 11.2 EER 8.0 HSPF | RACCZR (CONV. A/C) | |
| | RGECZR (CONV. G/E) | |
| | RHPCZR (CONV. H/P) | |
| 6 TON 14.0 SEER 11.2 EER 8.0 HSPF | RACCZT (CONV. A/C) | 3 |
| | RGECZT (CONV. G/E) | 1 |
| | RHPCZT (CONV. H/P) | |
| | | |

• RACCZR, RGECZR, RHPC updated to Schedule M1 standards (GEN. C)

• All legacy RLPN, RLQN, RKPN, RKQN, RJPL series obsoleted

 Commercial single-phase air conditioners and heat pumps <65k BTU/HR (5 tons and below) follow the residential M1 standards and are compliant with all SEER2, EER, and HSPF2 requirements.

Package 7.5 -12.5 Ton

| CAPACITY | MODEL FAMILY | FOOTPRINT |
|--|--------------------|-----------|
| 7.5 - 12.5 TON 14.6 IEER 11.0 EER 3.4 COP | RACDZT (CONV. A/C) | - |
| | RGEDZT (CONV. G/E) | |
| | RHPDZT (CONV. H/P) | |

• RACD, RGED, RHPD ZR and ZS Series obsoleted

• ZT Series versions becomes standard offering

Package 15-30 Ton

| | ruchage is so ion | |
|--|-----------------------------|--------------------|
| CAPACITY | MODEL FAMILY | FOOTPRINT |
| 15 - 25 TON 14.2 IEER 11.0 EER 3.3 COP | RACG (CONV. A/C) | |
| | RGEG (CONV. G/E) | |
| 15 - 25 TON 14.2 IEER 11.0 EER 3.3 COP | RLNL-H / RLRL-H (CONV. A/C) | - date |
| | RKNL-H / RKRL-H (CONV. G/E) | and B |
| | RHPH (CONV. H/P) | |
| 30 TON 14.2 IEER 11.0 EER 3.3 COP | RACH (CONV. A/C) | |
| | RGEH (CONV. G/E) | A REAL PROPERTY OF |

• New 15 – 25-Ton Industry Standard Curb platforms

AHR

• RLNL-B/C and RKNL-B/C series platforms obsoleted

• New 15 – 25-Ton H/P series

• New 30-Ton VAV A/C and G/E platforms

Distributed by:

 \triangleright

In

Split A/C 6.5 - 20 Ton

| CAPACITY | MODEL FAMILY | FOOTPRINT |
|---------------------------------------|---------------------|-----------|
| 6.5 - 20 TON 14.8 IEER 11.2 EER | RACL (OUTDOOR UNIT) | |
| | RHCLA (INDOOR UNIT) | |

• ODU'S and IDU's updated to Schedule M1 standards (GEN. B)

- RAWL series outdoor units obsoleted
- RHGL / RHGN series indoor units obsoleted

Split H/P 7.5 - 10 Ton

| | CAPACITY | MODEL FAMILY | FOOTPRINT |
|--|--|---------------------|-----------|
| | 7.5 - 10 TON 14.8 IEER 11.2 EER 3.4 COP | RPCL (OUTDOOR UNIT) | |
| | | RHCLP (INDOOR UNIT) | |

• ODU'S and IDU's updated to Schedule M1 standards (GEN. B)

- RPWL series outdoor units obsoleted
- RHGM series indoor units obsoleted



FUJITSU GENERAL AMERICA, INC. fujitsugeneral.com